SikaGrout[®] Deep Pour

Revision Date: 04.01.2016

Version 1.0

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

SikaGrout [®] Deep Pour
: 000000606871
: solid
etails
: Sika Australia Pty. Ltd.
: Elizabeth Street 55 Wetherill Park NSW 2164
: +61297251145
: + 61 1800 033 111
: +61297253330
: EHS@au.sika.com

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Skin corrosion/irritation	: Category 2	
Serious eye damage/eye irri- tation	: Category 1	
Specific target organ toxicity - single exposure	: Category 3 (Respiratory system)	
GHS Label element Hazard pictograms		
Signal word	: Danger	
Hazard statements	 H315 Causes skin irritation. H318 Causes serious eye damage. H335 May cause respiratory irritation. 	
Precautionary statements	 Prevention: P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. P264 Wash skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves/ eye protection/ face protectior Response: P302 + P352 IF ON SKIN: Wash with plenty of soap and was 	n.

SikaGrout[®] Deep Pour



Version 1.0	MSDS Number: 000000606871	Revision Date: 04.01.2016
	P304 + P340 + P312 IF INHALED: F and keep at rest in a position comfor POISON CENTER or doctor/ physici P305 + P351 + P338 + P310 IF IN E	rtable for breathing. Call a ian if you feel unwell.
		5

water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.

P332 + P313 If skin irritation occurs: Get medical advice/ attention.

P362 Take off contaminated clothing and wash before reuse. **Storage:**

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Mixture

Hazardous components

Chemical Name	CAS-No.	Concentration (%)
Quartz (SiO2)	14808-60-7	>= 30 - < 60
Cement, portland, chemicals	65997-15-1	>= 10 - < 30
Limestone	1317-65-3	< 10
calcium sulfate	7778-18-9	< 10
hexacalcium hexaoxotris[sulphato(2-)]dialuminate(12-)	12004-14-7	< 10

SECTION 4. FIRST AID MEASURES

General advice	 Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	: Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	 Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	 Small amounts splashed into eyes can cause irreversible tissue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.

SikaGrout[®] Deep Pour



Version 1.0	MSDS Number: 000000606871	Revision Date: 04.0
If swallowed	: Clean mouth with water and drink aff Do not give milk or alcoholic beverag Never give anything by mouth to an Obtain medical attention.	jes.
Most important symptoms and effects, both acute and delayed	 irritant effects Cough Respiratory disorder Excessive lachrymation Dermatitis See Section 11 for more detailed info and symptoms. Causes skin irritation. Causes serious eye damage. May cause respiratory irritation. 	ormation on health effects
Notes to physician	: Treat symptomatically.	

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
Hazardous combustion prod- ucts	: No hazardous combustion products are known
Specific extinguishing meth- ods	: Standard procedure for chemical fires.
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons.
Environmental precautions	:	Try to prevent the material from entering drains or water courses.
Methods and materials for containment and cleaning up	:	Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	 Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
Advice on safe handling	: Do not breathe vapours/dust. Avoid exceeding the given occupational exposure limits (see section 8).

SikaGrout[®] Deep Pour

Version 1.0	MSDS Number: 000000606871	Revision Date: 04.01.201
	Do not get in eyes, on skin, or on clothi For personal protection see section 8. Smoking, eating and drinking should be plication area. Follow standard hygiene measures who products	e prohibited in the ap-
Hygiene measures	 Handle in accordance with good indust practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of the second statement o	
Conditions for safe storage	 Store in original container. Keep in a well-ventilated place. Observe label precautions. Store in accordance with local regulation 	ons.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Quartz (SiO2)	14808-60-7	TWA (Res- pirable dust)	0.1 mg/m3	AU OEL
Cement, portland, chemicals	65997-15-1	TWA	10 mg/m3	AU OEL
		ation: This value < 1% crystalline	is for inhalable dust silica	containing no
Limestone	1317-65-3	TWA	10 mg/m3 (Calcium)	AU OEL
			is for inhalable dust	containing no
	asbestos and ·	< 1% crystalline	silica	
calcium sulfate	7778-18-9	TWA	10 mg/m3	AU OEL
		ation: This value < 1% crystalline	is for inhalable dust silica	containing no

Components with workplace control parameters

Personal protective equipment

Respiratory protection :	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. The filter class for the respirator must be suitable for the max- imum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when han- dling the product. If this concentration is exceeded, self- contained breathing apparatus must be used.
Hand protection :	Chemical-resistant, impervious gloves complying with an ap- proved standard should be worn at all times when handling chemical products if a risk assessment indicates this is nec- essary.
Eye protection :	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary.



SikaGrout[®] Deep Pour

Version 1.0	MSDS Number: 000000606871	Revision Date: 04.01.2016
Skin and body protection	 Choose body protection in relation to tration and amount of dangerous subs cific work-place. 	

8

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	powder
Colour	:	grey
Odour	:	odourless
Odour Threshold	:	No data available
рН	:	No data available
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	No data available
Flammability	:	No data available
Upper explosion limit	:	No data available
Lower explosion limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Density	:	ca. 1.8 g/cm3 (20 °C (68 °F) ())
Solubility(ies) Water solubility	:	insoluble
Partition coefficient: n- octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	Not applicable
Molecular weight	:	No data available

SikaGrout[®] Deep Pour

Revision Date: 04.01.2016

Version 1.0

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: The product is chemically stable.
Possibility of hazardous reac- tions	: Stable under recommended storage conditions.
Conditions to avoid	: No data available
Incompatible materials	: No data available
Hazardous decomposition products	: No decomposition if stored and applied as directed.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Components:

calcium sulfate:

Acute oral toxicity : LD50 Oral (Rat): > 5,000 mg/kg

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

Chronic toxicity

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

May cause respiratory irritation.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

SikaGrout[®] Deep Pour

Version 1.0



SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity No data available	
Persistence and degradability No data available	
Bioaccumulative potential No data available	
Mobility in soil No data available	
Other adverse effects	
Product: Additional ecological infor- : There is no data available for this product. mation	

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	: Do not contaminate ponds, waterways or ditches with chemi- cal or used container. Send to a licensed waste management company.
Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulation IATA-DGR Not dangerous goods IMDG-Code Not dangerous goods

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.

National Regulations ADG Not dangerous goods

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Standard for the Uniform : No poison schedule number allocated Scheduling of Medicines and

SikaGrout[®] Deep Pour



Version 1.0	MSDS Number: 00000	0606871	Revision Date: 04.01.201
Poisons			
	al Weapons Convention (CWC) hemicals and Precursors	: Not applicable	
Prohibition/Licensing	Requirements		WHS Act and Regu- ibition, authorisation use.
The components of	this product are reported in the	following inventor	ries:
AICS	AICS : On the inventory, or in compliance with the inventory		he inventory

SECTION 16. OTHER INFORMATION

Date format

: dd.mm.yyyy

Material Safety Data Sheets are updated frequently. Please ensure that you have a current copy. MSDS may be obtained from the following website: aus.sika.com

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.